

Customer: Cake Distro.
1007 West Grove Avenue
Orange, CA 92865



Report Issue Date
10/1/2021

Sample ID: D8PP0121 / Purple Punch
Laboratory Number: ATL-1608

Extraction Technician: HP
Analytical Chemist: HP

Sample Description/Size: D8 Diamond Sauce
Unit Weight: 2.5g



Hernan Prieto

CANNABINOID PROFILE

Order Date: 9/27/2021
Analysis Date: 9/28/2021

Cannabinoids (HPLC)

Test	LOD (%)	mg/jar	%	Cannabinoid (%)					
				0	20	40	60	80	100
Cannabidiarin (CBDV)	<0.05	0	0						
Cannabidiolic Acid (CBD-A)	<0.04	0	0						
Cannabigerolic Acid (CBG-A)	<0.04	0	0						
Cannabigerol (CBG)	<0.05	0	0						
Cannabidiol (CBD)	<0.05	1310.2	52.40						
Cannabinol (CBN)	<0.05	0	0						
Delta 9-Tetrahydrocannabinol (THC)	<0.05	0	0						
Delta 8-Tetrahydrocannabinol	<0.05	951.8	38.07						
Delta 10-Tetrahydrocannabinol (THC)	<0.05	0	0						
Cannabichromene(CBC)	<0.05	0	0						
Delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.04	0	0						

Cannabinoids Total

Test	mg/jar	%	Cannabinoid (%)					
			0	20	40	60	80	100
Max Active THC	0	0						
Max Active CBD	1310.2	52.41						
T.Active Cannabinoids	2261.8	90.48						
Total Cannabinoids	2261.8	90.48						

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab's uncertainty is calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D = Not Detected

